

**UK 4-T-P/P**

Order No.: 3042010

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3042010>

Disconnect and test disconnect terminal block

Commercial data	
EAN	4017918092313
Pack	50 pcs.
Customs tariff	85369010
Weight/Piece	0.012499 KG

## Product notes

WEEE/RoHS-compliant since:  
01/01/2003

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

## Certificates / Approvals



Certification

CSA, CUL, DNV, UL

## CSA

Nominal voltage $U_N$	300 V
Nominal current $I_N$	10 A
AWG/kcmil	28-12

**CUL**

Nominal voltage $U_N$	600 V
Nominal current $I_N$	5 A
AWG/kcmil	28-12

**UL**

Nominal voltage $U_N$	600 V
Nominal current $I_N$	5 A
AWG/kcmil	28-12

UK 4-T-P/P Order No.: 3042010

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3042010>

---

**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact  
Technical modifications reserved;